(Regulation CE n° 1907/2006 changed)

Product Name: ROBE - PROFESSIONAL HAZE FLUID (V2015) Page 1/6

# TITLE 1: Identification of the Substance / Preparation and Company

### 1.1. Identification of the preparation

Product form: Liquid

Product Name: ROBE PROFESSIONAL HAZE - Code 1098 0027 - Can of 5L

#### 1.2. Relevant identified uses of the substance or mixture and uses

#### 1.2.1. Relevant identified uses

Use of the substance / mixture: Liquid formulation used to produce an artificial hazer used in the

entertainment events, shows, clubs, theaters - For Haze Machines

working with compressor system.
Professional use and general public use

**1.2.2. Uses deprecated**No additional information available

# 1.3. Idendification of the company

ROBE LIGHTING SRO Hazovice 2090 Roznov pod Radhosem Czech Republic

Phone: +420-571-751500 - Email: info@robe.cz

#### 1.4. Emergency Telephone Number

CountryCompanyEmergency NumberFranceORFILA+33 1 45 42 59 59

### **TITLE 2: Hazards idendification**

# 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Hazard Class and Category Code Regulation EC 1272/2008 (CLP): Not regulated.

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms code : --Precautionary statements : ---

2.3. Other Hazards None under normal conditions.

# TITLE 3: Composition / Information on ingredients

Produt's formula ( INCI ): Paraffinum liquidum - Contents : 100 %

- CAS n° 8042-47-5

- EC n° 232-455-8

- REACH n° 01-2119487078-27

Components : This product is not hazardous

# **TITLE 4: First Aid**

# 4.1. Description of first aid measures

First aid measures : Seek medical attention if ill effect develops.

Inhalation: Assure fresh air breathing.

Skin contact: Wash skin with mild soap and water.

Eye contact : Seek medical attention if ill effect or irritation develops.

In case of eye contact, immediately rinse with clean water for

10-15 minutes.

Ingestion: Can have a laxative effect. Never give anything by mouth to an

unconscious person.

Seek medical attention if ill effect develops. Do not induce

vomiting.

(Regulation CE n° 1907/2006 changed)

Product Name: ROBE - PROFESSIONAL HAZE FLUID (V2015) Page 2/6

### 4.2. Most important symptoms and effects, both acute and delayed

May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. Nausea. Diarrhea. Repeated or prolonged skin contact may cause irritation.

Symptoms relating to use : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physician:

Note to physician:

No data available.

Treat symptomatically.

By absorption or vomiting, danger of penetration into the lungs.

# **TITLE 5: Measures against Fire**

### 5.1. Extinguishing Media

Suitable extinguishing media : Foam. Powder. Carbon dioxide. Water fog. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Organic compounds. et inorganiques.

Carbon monoxide.

5.3. Advice for firefighters

Surrounding fires:

Protection against fire: Wear proper protective equipment.

Prevention: In case of insufficient ventilation, wear suitable respiratory

equipment.

Special procedures: Exercise caution when fighting any chemical fire.

Avoid (reject) fire-fighting water to enter environment.
Use water spray or fog for cooling exposed containers.

# **TITLE 6: Measures Accidental Release**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Spill area may be slippery.

In case of insufficient ventilation, wear suitable respiratory

equipment. (SCBA)

Equip cleanup crew with proper protection.

Ensure adequate air ventilation.

6.2. Precautions for environmental protection

Environmental precautions: Notify authorities if product enters sewers or public waters.

Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning

Clean up methods : Dike for recovery or absorb with appropriate material.

Collect spills and put it into appropriated container.

6.4. Reference to other sections

Wear individual equipment of protection, see section 8.

# **TITLE 7: Handling and Storage**

### 7.1. Precautions for safe handling

General: Class feu: B

Handling : Ensure adequate air ventilation.

Avoid formation of oil dust.

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage: Class (RFA): 10 Store in tightly closed, properly ventilated

containers away from heat, sparks, open flame. Strong oxidizing agents. Direct sunlight. Heat. Take precautionary measures against static discharges.

7.3. Specific end use

Storage - away from :

No data available.

(Regulation CE n° 1907/2006 changed)

Product Name: ROBE - PROFESSIONAL HAZE FLUID (V2015) Page 3/6

# **TITLE 8: Exposure Controls / Personal Protection**

#### 8.1. Control Parameters

DNEL=160mg aerosol/m3/8h, Long Term Exposure, Systemic, Inhalativ DNEL=220mg/kg/8h, Long Term Exposure, Systemic, Dermal

Personal protection: Avoid oil vapor formation.

Do not breathe vapour.

Same security measures as with chemicals products. Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory

equipment. E529

Skin protection: Wear suitable protective clothing. EN 397

Eye protection: Goggles. EN166

Use neoprene or rubber gloves. EN 374 - 407 Hand protection:

8.2. Exposure controls

TLV© [ml/m³]: Oil Vapeur USA (ACGIH) = 5

TWA [mg/m³]:

# **TITLE 9: Physical and Chemical Properties**

# 9.1. Basic physical and chemical properties Information

- Appearance

Physical state at 20 °C: Liquid.

-9 (DIN ISO 3016) Change in physical state: Colour: Colourless.

- Odour

Odour: Mild.

- Odour threshold : No data available.

- pH : No data available. - Melting point / Freezing point : No data available.

- Initial boiling point - boiling range

Boiling point [°C]: 218-800

- Flash point

Flash point [°C]: 210 (DIN ISO2592) - Evaporation rate : No data available. - Flammability : No data available.

- Explosion limits (lower - upper)

Explosion limits - lower [%]: 0,45 Explosion limits - upper [%] :

- Vapour pressure

<0,1 (20°C) calculée Vapour pressure [hPa]: - Vapour density: No data available.

- Relative density

0,853g/ml (15°C) DIN 51757 Density:

- Solubility

Solubility: Lipophile substance.

Solubility in water: Insoluble.

- Partition coefficient : n-octanol / :

- Auto-ignition temperature 325-355 Auto-ignition temperature [°C]:

No data available. - Thermal decomposition :

- Viscosity

Viscosity at 40°C [mm2/s]: Circa 24 (DIN51562)

- Explosive Properties : Not expected to be a fire/explosion hazard under normal

conditions of use. No data available. - Oxidising properties :

9.2. Other informations

No data available.

No data available.

# TITLE 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Thermal stability: Decomposes above 350°C

(Regulation CE n° 1907/2006 changed)

Product Name: ROBE - PROFESSIONAL HAZE FLUID (V2015) Page 4/6

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Oxidizing agent.

### 10.4. Conditions to avoid

On exposure to high temperature, may decompose, releasing toxic vapours.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidizers

10.6. Hazardous decomposition products

carbon oxyde, sulphur and nitrogen Hazardous decomposition products:

# **TITLE 11: Toxicological informations**

# 11.1. Information on toxicological effects

Subacute toxicity - NOAEL 1000mg/kg - rabbit (male/female) - similar to OECD410 Subchronic toxicity inhalativ - NOAEL > = 2000mg/kg - rat (male/female) - similar to OECD411 Chronic toxicity oral - NOAEL > 120mg/kg - F344 rat strain - OECD411

Acute toxicity: Considered as non toxic.

- Ocular : Irritating vapours. possible in case of repeated contacts - Ingestion:

May result in aspiration into the lungs, causing chemical

May cause a light irritation of the linings of the mouth, throat,

and gastrointestinal

Rat oral LD50 [mg/kg]: >5000 (OECD 401) Rabbit dermal LD50 [mg/kg] : >2000 (OECD 402) >5000 mg/m3 (OECD403) Rat inhalation LC50 [mg/l/4h]: Dermal irritation (rabbit): Not expected to be an irritant. Eyes irritation (rabbit): Not expected to be an irritant.

Sensitization: This product has been reported not to cause skin sensitization.

(OECD 406)

Carcinogenicity: No carcinogenic suspected agent.

Mutagenicity

Mutagenicity tests are negative. - Ames test :

Toxic for reproduction: unborn child: negativ

(Chromosome aberration assay based on hey study data test)

# **TITLE 12: Ecological informations**

# 12.1. Toxicity

LL50 (40h) > 1000mg/I QSAR Software Model

Soluble in water with difficulty. On product: 48 Hour-EC50 - Daphnia magna [mg/l]: LL50 >100mg/l (OECD202)

IC50 72h Algae [mg/l]: NOEL >=100 (Pseudokirchnerella subcapita) OECD 201

> 100 (96H) Leuciscus idus OECD 203 L.idus LC50 (mg/l):

12.2. Persistence - degradability

Biodegradation [%]: Minimally biodegradable. 31.3% (28d)

12.3. Potential for bioaccumulation

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

No additional information available

12.6. Other adverse effects

Ecological effects information: Avoid release to the environment.

WGK class (Germany): 1: Little dangerous for the aquatic environment.

(Regulation CE n° 1907/2006 changed)

Product Name: ROBE - PROFESSIONAL HAZE FLUID (V2015) Page 5/6

# TITLE 13: Considerations Disposal

#### 13.1. Waste treatment methods

General: Clean equipment with hot water and soap.

Dispose in a safe manner in accordance with local/national

regulations.

Industrial waste number: 13 02 05 - Mineral-based non-chlorinated engine, gear and

lubricating oils. (Hazardous waste pursuant to Directive

91/689/EEC on hazardous waste)

# **TITLE 14: Transport informations**

### 14.1. ONU number

N° ONU (ADR): Not applicable N° ONU (IMDG) : Not applicable N° ONU (IATA): Not applicable N° ONU (ADN): Not applicable N° ONU (RID): Not applicable

#### 14.2. Official shipping transport name ONU

Not applicable Proper Shipping Name (ADR): Proper Shipping Name (IMDG): Not applicable Proper Shipping Name (IATA): Not applicable Not applicable Proper Shipping Name (ADN): Not applicable Proper Shipping Name (RID):

#### 14.3. Hazard class for transport

**ADR** 

Hazard class for transport (ADR): Not applicable

**IMDG** 

Hazard class for transport (IMDG): Not applicable

IATA Hazard class for transport (IATA):

ADN Hazard class for transport (ADN): Not applicable

Hazard class for transport (RID): Not applicable

### 14.4. Packing Group

Not applicable Packing Group (ADR): Packing Group (IMDG): Not applicable Packing Group (IATA): Not applicable Packing Group (ADN): Not applicable Not applicable Packing Group (RID):

# 14.5. Environmental hazards

Not applicable.

In case of spillage and/or leakage: Clean up even minor leaks or spills if possible without

unecessary risk.

Not applicable

14.6. Special precautions for user

Not applicable

Personal precautions: The driver shall not attempt to deal with any fire of the load. Emergency action in case of accident :

Stop the engine. No naked lights. No smoking. Mark roads and

warns other road users.

Notify police and fire brigade immediatly.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

(Regulation CE n° 1907/2006 changed)

Product Name: ROBE - PROFESSIONAL HAZE FLUID (V2015) Page 6/6

# TITLE 15 : Regulatory information

# 15.1. Regulations / legislation for the substance or mixture Safety, health and environment

Ensure all national/local regulations are observed.

Classification EC 67/548 or EC 1999/45

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006. Directive 2006/121/EC of the European Parliament and of the Council of 18 December 2006.

 Symbol(s):
 None.

 R Phrase(s):
 None.

 S Phrase(s):
 None.

 Other:
 None.

15.2. Evaluation of chemical safety

No data available.

Т	П	Εí	ıa		73	h		21	n		77	~	0	ŧi		n	ı
			v	J	43	ш	U		ш	v	48	ш		J	J	ш	•

Other informations : None.