**SPEC SHEET** 



# **B PANEL360TW**













### **Tuneable white soft light**

The **B Panel360TW** is the most versatile powerful and ease of use tunable white panel on the market. It is equipped with barndoors, removable frost and gel frame. It comes with manual dimming, manual CCT and DMX. Furthermore it has high CRI (96 Ra), making this fixture ideal for theatre, photography and much more

### **Applications**

- Theatre
- Architainment
- Film & television
- Live entertainment
- Exhibition, museam & shops

#### **Accessories included**

- Powercable
- Removable frost, intensifier and gel frame
- Barn doors



# **SPEC SHEET**



## **Optical**

Beam angle	120° fixed angle
Colours	2.700K - 6.000K
Refresh rate	1.200 - 9.000 Hz
Strobe	0-20 Hz
CRI	94,8Ra

# **Physical**

-	
WxHxD	550 x 320 x 150 mm   21.7 x 12.6 x 5.9 in
$W \times H \times D$ packing	600 x 390 x 195 mm   23.6 x 15.4 x 7.7 in
W x H x D 2 pcs packing	620 x 420 x 420 mm   24.4 x 16.5 x 16.5 in
Net weight	8,6kg   18.9lb
Gross weight	9,6kg   21.2lb
Gross weight 2 pcs	19kg   41.9lb
Cooling	Heat sink + air cooling

## **Mounting**


Hanging	3x 13mm hole
Standing	n/a
2nd suspension/safety wire	1x eye on the side top of the fixture to pass a safety wire or carabiner

#### **Control**


Menu	TFT display with 4 buttons
Control	DMX512, RDM, manual dimming & CCT button
DMX mode	2/3/6 channels
Dimmer mode	16-bit dimming
In/Link	XLR 5-Pin
Zoom	N/A
Movement	One hand tilt locking


### **Electrical**

Fixture rated power	240W
LED engine	360x white SMD LED
Input power	100 - 240V ~ 50/60Hz Auto switching power supply
In/Link	powerCON TRUE1   max link current: 10A
IP rating	IP20



550mm | 21.7in







# **SPEC SHEET**



#### **Photometric data**

